

LTAP07

Adaptor (24 V DC, 14.6 A)



Features

- Up to 350 W
- Output voltage adjustable
- Built-in blower
- Operating Temperature up to 70 °C

Tech Specs

Model	LTAP07
Output Voltage	24 V DC
Output Current	14.6 A max.
Output Power	350 W max.
Output Voltage Adjustable Range	21.6 V to 28.8 V
Input	90 V AC to 132 V AC / 180 V AC to 264 V AC by switch, 240 V DC to 370 V DC (switch on 230 V AC)
Blower Control	On at 50 °C ± 3 °C (122 °F ± 5 °F), off at 40 °C ± 3 °C (104 °F ± 5 °F)
Dimensions (W × H × L)	115 mm × 30 mm × 215 mm (4.5 in × 1.2 in × 8.5 in)
Weight	0.76 kg (1.7 lb)
Operating Ambient Temperature	-25 °C to 70 °C (-13 °F to 158 °F)
Regulatory Compliance	IEC/UL 62368-1, BSMI CNS14336-1, BS EN/EN60335-1, EAC TP TC 004, KC K60950-1 (for LRS-350-12/24 only), BIS IS13252(Part1): 2010/IEC 60950-1: 2005, AS/NZS62368.1 approved; Design refer to BS EN/EN62368-1

*Design and specifications are subject to change without prior notice.