

LTPM01

Indoor Pan and Tilt Unit for Loads up to 7 kg (15.4 lb)

IP65, maximum load of 7 kg (15.4 lb), polycarbonate and steel construction



| | |
|---------------------------------------|--|
| Model | LTPM01 |
| Power Consumption | 8 W |
| Pan Speed | 5° per second |
| Pan Range | 0° to 355° (auto/manual) |
| (Movement in Horizontal Plane) | |
| Tilt Speed | - |
| Tilt Range | -50° to 50° (manual) |
| (Movement in Vertical Plane) | |
| Operating Ambient Temperature | 10 °C to 35 °C (50 °F to 95 °F) |
| Relative Humidity | 5 % to 95 % noncondensing |
| Communication Protocols | RS-485 (LTPM01-N-2, LTPM01-N-3, LTPM01-N-4) Pelco D (LTPM01-N-2, LTPM01-N-3, LTPM01-N-4) |
| Baud Rate | 2,400/4,800/9,600 bps (LTPM01-N-2, LTPM01-N-3, LTPM01-N-4) |
| Standard Setting | <ul style="list-style-type: none"> ▪ Available with BNC Cable (LTPM01-A-2, LTPM01-A-3, LTPM01-A-4) ▪ Available with network cable (100Mbps) (LTPM01-N-2, LTPM01-N-3, LTPM01-N-4) |
| Dimensions (W x H x L) | 179 mm x 115 mm x 180 mm (7.0 in x 4.5 in x 7.1 in) |
| Weight | 1.8 kg (3.97 lb) |

*Design and specifications are subject to change without prior notice.

Features

- Polycarbonate and steel construction
- Maximum load 7 kg (15.4 lb)
- Designed for indoor applications
- Support analogue or network cameras (optional)
- Input power: 24 V AC/110 V AC/220 V AC (available)

Available Models

| Model | Support | Input Power |
|------------|----------|-------------|
| LTPM01-A-2 | Analogue | 24 V AC |
| LTPM01-A-3 | Analogue | 110 V AC |
| LTPM01-A-4 | Analogue | 220 V AC |
| LTPM01-N-2 | Network | 24 V AC |
| LTPM01-N-3 | Network | 110 V AC |
| LTPM01-N-4 | Network | 220 V AC |

Tech Specs

| | |
|--------------------------|--|
| Model | LTPM01 |
| Maximum Load | 7 kg (15.4 lb) |
| Type | Indoor, top load |
| Protection Rating | IP65, NEMA-4 enclosure rating |
| Material | Polycarbonate and steel construction |
| Finish | Beige |
| Input Power | <ul style="list-style-type: none"> ▪ 24 V AC (LTPM01-A-2, LTPM01-N-2) ▪ 110 V AC (LTPM01-A-3, LTPM01-N-3) ▪ 220 V AC (LTPM01-A-4, LTPM01-N-4) |